

Premier Steam Motor Chart

The following Premier Steam Projects use this motor with a Flywheel & Dog-Bone coupling



DC MOTOR / PITTMAN 9434 STYLE / SINGLE SHAFT / PREMIER STEAM LOCOMOTIVES & TINPLATE	BE0000030
DC MOTOR / PITTMAN 9434 / SINGLE SHAFT / PREMIER & TINPLATE STEAM LOCOMOTIVES	BE0000033

TRIPLEX 2-8-8-2
PRR S-1 6-4-4-6
ESE Hudson 4-6-4
C&O Allegheny 2-6-6-6
PRR Atlantic 4-4-2
DM&IR Yellowstone 2-8-8-4
Decapod 2-10-0
NYC A-2 Bekshire 2-8-4
PRR K4S 4-6-2
UP Big Boy 4-8-8-4
AT&SF Hudson 4-6-4
N&W J 4-8-4
GN S-2 Northern 4-8-4
Blue Comet 4-6-2
Reading T-1 4-8-4
Cahallenger 4-6-6-4
PRR J-1, C&O T-1 2-10-4
Hudson 4-6-4
AT&SF Texas 2-10-4
Scale NH I5 4-6-4
Blue Goose 4-6-4
Kanawha 2-8-4
C&O Greenbrier 4-8-4
PRR T-1 4-4-4-4
USRA Light Mikado 2-8-2
H-10 Consolidation 2-8-0
Dreyfuss Hudson 4-6-4
WM Challenger 4-6-6-4
CNR 6060 4-8-2
N&W Class A 2-6-6-4
Z-6 Challenger 4-6-6-4
GS-2 & GS-4 4-8-4

Premier Steam Motor Chart

NKP Berkshire 2-8-4
UP CLASS 9000 4-12-2
C&NW E--4 4-6-4
AC-6 Cab Forward 4-8-8-2
AT&SF Northern 4-8-4
CP Ryal Hudson 4-6-4
Hiawatha 4-6-4
USRA Y-6B 2-8-8-2
FEF Northern 4-8-4
Niagara 4-8-4
PRR Q-2 4-4-6-4
N&W Unshrouded J 4-8-4
PRR M1a 4-8-2

The following Premier Steam Locomotives this motor w/ a Flywheel and dog-bone coupling



DC MOTOR / PITTMAN STYLE 9432 / SINGLE SHAFT / PREMIER STEAM LOCOMOTIVES & STD GAUGE TINPLATE

BE0000138

H-9 Consolidation 2-8-0
USRA Pacific 4-6-2
Angus 0-8-8-0
PRR L-1 Mikado 2-8-2
Russian Decapod 2-10-0
Princess Coronation 4-6-2
PRR G-5 4-6-0
Mohawk 4-8-2
GN-R2 2-8-8-2

Premier Steam Motor Chart

These Premier locomotives use this size motor, some have a worm gear & others use a flywheel & Dog-Bone coupling.



DC MOTOR / RS385PH / DUAL SHAFT / NO FLYWHEEL / NO WORM GEAR

BE0000245

USRA 0-8-0
USRA 0-6-0
M-1 Turbine
Camelback 4-6-0
3-Truck & 4-Truck Shay
Climax

These Premier locomotives use this size motor, some have a worm gear & others use a flywheel & Dog-Bone coupling.



DC MOTOR / RS365SH / RS-365 / 12,000 RPM / DUAL SHAFT / NO FLYWHEEL / NO WORM GEAR / USED IN O GAUGE DIESELS

BE0000244

PRR H-3 2-8-0
PRR D-16 4-4-0
ESE 4-4-0 & American 4-4-0
PRR A-5 0-4-0

Premier Steam Motor Chart

These Premier locomotives use this size motor with a flywheel & Dog-Bone coupling.



**DC MOTOR / RS545 / SINGLE SHAFT / MOTOR ONLY / PREMIER &
RAILKING STEAM**

BE0000004

241A 4-8-2
S 3/6 4-6-2
141P 2-8-2
BR-44 2-10-0